Interface®

Construction					
Yarn system	BCF Solution Dyed Nylon (PA6)				
Backing system	Graphlex*				
Recycled Content	Total	Pre Consumer	Post Consumer		
Yarn average	100,00%	50,00%	50,00%		
Product average	61,01%	54,36%	6,65%		
	Recycled content can be subject to d	ifferences between colours. Se	e details for individual colours on next page.		
Carbon Footprint Gl	obal Warming Potential (kgs CO2 equ	ivalents/sq meter)			
	Raw materials and Production:	7.0	7.09 kg CO ₂ eq./m ²		
Full life-cycle carbon footprint	Delivery and installation:	0.6	0.67 kg CO ₂ eq./m ²		
(following our EPD results or EPD calculation method)	Use (10 year):	2.9	92 kg CO ₂ eq./m ²		
	End of life (waste to energy):	8.3	.39 kg CO ₂ eq./m ²		
	TOTAL (10 years' lifetime):	19.	07 kg CO ₂ eq./m²		
CO ₂ compensation	Carbon neutral Cool Carpet® is standa	ard			
Manufacturing					
Landen	Scherpenzeel, NL				
Location	Factory is certified ISO 14001 since 1996 and ISO 9001 since 1990				
Installation Impacts					
TacTiles™	Optimised for glue-free installation with TacTiles™ connectors with virtually zero VOCs				
	In a typical installation* using the installation method below:				
	Herringbone – 3-5 % installation waste				
Installation Waste	Ashlar - 3-5% installation waste				
	For reference: 2 metre wide broadloom typically generates 7-10 % installation waste				
	* In a rectangular building, installed before walls.				
End-of-life					
	Reuse: Can be cleaned and reused in	a non-critical location to exter	nd its useful life		
Alternatives to landfill	Recycling: Can be returned through the Interface ReEntry scheme and be re-used as raw material in new carpet tiles				
	Waste-to-Energy: Can be incinerated in appropriate waste to energy plant				
Indoor Air Quality					
·	The product passes all requirements of GUT's testing criteria regarding hazardous substances, emissions and odour.				
GUT (Gemeinschaft umweltfreundlicher Teppichboden)					
CRI (Carpet & Rug Institute)	Compliant to LEED IQ 4.3 credit (teste		t test of the CRI Green Label Plus)		
Compliance to Green Building Scher					
,		ducts contribute to the main g	reen building certification schemes (BREEAM,		
Type III Environmental Product Deck	aration				
EPD according to ISO 14025	This product is covered by the Enviro				

Interface®

Recycled content – colour level						
Colourway	Total Recycled Content	Pre consumer recycled content	Post consumer recycled content	Total yarn recycled content	Yarn pre- consumer	Yarn post- consumer
332912 Black Sea	61,34%	54,69%	6,65%	100,00%	50,00%	50,00%
332913 North Sea	61,34%	54,69%	6,65%	100,00%	50,00%	50,00%
332914 Pacific	61,34%	54,69%	6,65%	100,00%	50,00%	50,00%
332915 Arctic	60,46%	53,81%	6,65%	100,00%	50,00%	50,00%
332916 Atlantic	61,34%	54,69%	6,65%	100,00%	50,00%	50,00%
332917 Caspian	61,34%	54,69%	6,65%	100,00%	50,00%	50,00%
332918 Sand	60,46%	53,81%	6,65%	100,00%	50,00%	50,00%
332919 Driftwood	60,46%	53,81%	6,65%	100,00%	50,00%	50,00%

Compliance to Green Building Sch	hemes
BREEAM (UK and international)	BRE Green Guide Ratings: Office - Not Available Education - Not Available Health Care - Not Available Retail (by fashion) - Not Available Potential contribution to following categories and credits: Hea 02 - Indoor air quality – minimising sources of air pollution Hea 05 - Acoustic Performance Mat 01 - Life Cycle Impacts Mat 05 - Designing for robustness Wst 01 - Construction Waste Management
LEED 2009 US	Potential direct or indirect contribution to following categories and credits: Indoor Environmental Quality Credit 4.1 Low Emitting Materials: Adhesive & Sealants Credit 4.3 Low Emitting Materials: Carpet Systems Materials and Resources Credit 2.1 Construction Waste Management Credit 4.1 Recycled content Credit 5.1 Regional Materials Innovation and Design Credits 1-4 1 Pilot Credit 43, Certified Products
HQE (FR)	Potential direct or indirect contribution to several points within following targets: 2. Integrated choice of products and construction materials 3. Low site nuisance 9. Acoustic comfort 10. Visual comfort 11. No unpleasant smells 12. Sanitary quality of areas 13. Sanitary air quality
DGNB (D)	Potential direct or indirect contribution to following criterion ENVIRONMENTAL QUALITY ENV1.2 Local Environmental Impact ECONOMIC QUALITY ECO1.1 Building-Related Lifecycle Costs ECO2.1 Efficient Use of Space SOCIOCULTURAL AND FUNCTIONAL QUALITY SOC1.2 Indoor Air Quality SOC1.3 Acoustic Comfort TECHNICAL QUALITY TEC1.5 Ease of Cleaning and Maintenance TEC1.6 Ease of Dismantling and Recycling