## **Interface**®

Construction Vorn evetem	10006 BCE Solution Dund BA C.C.				
Yarn system	100% BCF Solution Dyed PA 6,6				
Backing system	Graphlex®	-	_		
Recycled Content	Total Recycled Content	Pre consumer	Post consumer		
Product average	44,17%	44,17%	0,00%		
Yarn	22,10%	22,13%	0,00%		
	Recycled content can be subject to	differences between colours.	See details for individual colours on next page.		
Carbon Footprint	Global Warming Potential (kgs CO:	2 equivalents/sq meter)			
	Raw materials and Production:	9.4 kg CO <sub>2</sub> eq./m²			
Full life-cycle carbon footprint	Delivery and installation:	0.3 kg CO <sub>2</sub> eq./m <sup>2</sup>			
(following our EPD results or	se (10 years): 2 kg CO <sub>2</sub> eq./m <sup>2</sup>				
EPD calculation method)	End of life (waste to energy):	4.8 kg CO <sub>2</sub> eq./m <sup>2</sup>			
	TOTAL (10 years' lifetime): 16.5 kg CO <sub>2</sub> eq./m <sup>2</sup>				
CO <sub>2</sub> compensation	Carbon neutral Cool Carpet® is sta	ndard			
Manufacturing					
Longo	Scherpenzeel, NL				
Location	Factory is certified ISO 14001 since 1996 and ISO 9001 since 1990				
Installation Impacts					
TacTiles™	Optimised for glue-free installation with TacTiles™ connectors with virtually zero VOCs				
Installation Waste	In a typical installation* using the installation method below:				
	Non-directional – 1-2% installation waste				
	For reference: 2 metre wide broadloom typically generates 7-10 % installation waste				
	* In a rectangular building, installed before walls.				
Indoor Air Quality					
GUT (Gemeinschaft umweltfreundlicher Teppichboden)	The product passes all requirements of GUT's testing criteria regarding hazardous substances, emissions and odour.				
	GUT PRODIS Certificate no. FB53AAD0				
CRI (Carpet & Rug Institute)	Compliant to LEED IQ 4.3 credit (tested in Eurofins to the equivalent test of the CRI Green Label Plus)				
Compliance to Green Building Sch					
	See next page to check how our pr LEED, HQE and DGNB)	oducts contribute to the main	green building certification schemes (BREEAM,		
Type III Environmental Product Dec	laration				
EPD according to ISO 14025	This product has a type III Environn	antal Braduat Deplaration ED	D IEE 0011711 E		

## **Interface**®

		Pre-	Post-			Post-
Colourway	Total recycled content	consumer recycled content	consumer recycled content	Yarn recycled content	Pre-consumer yarn recycled content	consumer yarn recycled content
304183 Dunes	44,14%	44,14%	0,00%	21,83%	21,83%	0,00%
304186 Bark	44,35%	44,35%	0,00%	23,51%	22,26%	0,00%
304187 Meadow	44,05%	44,05%	0,00%	21,17%	23,51%	0,00%
304188 Moss Garden	44,36%	44,36%	0,00%	23,58%	21,17%	0,00%
304191 Conifer	44,18%	44,18%	0,00%	22,20%	23,58%	0,00%
304194 Wildflower	44,21%	44,21%	0,00%	22,40%	21,29%	0,00%
304195 Wetland	44,15%	44,15%	0,00%	21,94%	22,20%	0,00%
304196 Fern	44,28%	44,28%	0,00%	22,99%	22,40%	0,00%
304197 River	44,09%	44,09%	0,00%	21,48%	21,94%	0,00%
304198 Buckeye	44,31%	44,31%	0,00%	23,22%	22,99%	0,00%
345502 Steppe	44,15%	44,15%	0,00%	21,95%	21,48%	0,00%
345504 Desert	44,10%	44,10%	0,00%	21,54%	23,22%	0,00%
345506 Tropics	44,23%	44,23%	0,00%	22,54%	21,54%	0,00%
345511 Wadi	44,07%	44,07%	0,00%	21,32%	21,44%	0,00%
345514 Amazon	44,22%	44,22%	0,00%	22,48%	22,54%	0,00%
345517 Lagoon	44,20%	44,20%	0,00%	22,34%	21,89%	0,00%
345518 Lava	44,21%	44,21%	0,00%	22,39%	18,37%	0,00%
345519 Pasture	43,96%	43,96%	0,00%	20,45%	23,50%	0,00%
345520 Moorland	44,24%	44,24%	0,00%	22,68%	23,64%	0,00%
345521 Glacier	44,12%	44,12%	0,00%	21,72%	22,12%	0,00%
345522 Pacific	44,14%	44,14%	0,00%	21,89%	21,20%	0,00%
345523 Plantation	43,69%	43,69%	0,00%	18,37%	22,48%	0,00%
345524 Tobacco	44,35%	44,35%	0,00%	23,50%	22,68%	0,00%
345525 Valley	44,27%	44,27%	0,00%	22,91%	21,72%	0,00%

Compliance to Green Building Schemes				
BREEAM (UK and international)	BRE Green Guide Ratings: Office - A rated Education - A rated Health Care - A rated Retail (by fashion) - A+ rated Potential contribution to following categories and credits: Hea 02 - Indoor air quality - minimising sources of air pollution Hea 05 - Acoustic Performance Mat 01 - Life Cycle Impacts Mat 05 - Designing for robustness Wst 01 - Construction Waste Management			
LEED 2009 US	Potential direct or indirect contribution to following categories and credits: Indoor Environmental Quality Credit 4.1 Low Emitting Materials: Adhesive & Sealants Credit 4.3 Low Emitting Materials: Carpet Systems Materials and Resources Credit 2.1 Construction Waste Management Credit 4.1 Recycled content Credit 5.1 Regional Materials Innovation and Design Credits 1-4 1 Climate Neutral Products Credits 1-4 1 Pilot Credit 43, Certified Products			
HQE (FR)	Potential direct or indirect contribution to several points within following targets:  2. Integrated choice of products and construction materials  3. Low site nuisance  9. Acoustic comfort  10. Visual comfort  11. No unpleasant smells  12. Sanitary quality of areas  13. Sanitary air quality			
DGNB (D)	Potential direct or indirect contribution to following criterion ENVIRONMENTAL QUALITY ENV1.2 Local Environmental Impact ECONOMIC QUALITY ECO1.1 Building-Related Lifecycle Costs ECO2.1 Efficient Use of Space SOCIOCULTURAL AND FUNCTIONAL QUALITY SOC1.2 Indoor Air Quality SOC1.3 Acoustic Comfort TECHNICAL QUALITY TEC1.5 Ease of Cleaning and Maintenance TEC1.6 Ease of Dismantling and Recycling			