

Construction			
Yarn system	100% BCF Solution Dyed PA 6		
Backing system	Graphlex®		
Recycled Content	Total Recycled Content	Pre consumer	Post consumer
Product average	<b>56,54%</b>	48,14%	8,40%
Yarn	<b>100,00 %</b>	50,00%	50,00%
Recycled content is the same for all colourways.			
Carbon Footprint			
Global Warming Potential (kgs CO2 equivalents/sq meter)			
Full life-cycle carbon footprint (following our EPD results or EPD calculation method)	Raw materials and Production:	7.78 kg CO2 eq./m2	
	Delivery and installation:	0.70 kg CO2 eq./m2	
	Use (1 year):	2.92 kg CO2 eq./m2	
	End of life (waste to energy):	8.57 kg CO2 eq./m2	
	TOTAL (10 years' lifetime):	19.97 kg CO2 eq./m2	
CO <sub>2</sub> compensation	Carbon neutral Cool Carpet® is optional		
Manufacturing			
Location	Scherpenzeel, NL		
	Factory is certified ISO 14001 since 1996 and ISO 9001 since 1990		
Installation Impacts			
TacTiles™	Optimised for glue-free installation with TacTiles™ connectors with virtually zero VOCs		
	In a typical installation* using the installation method below:		
Installation Waste	Monolithic - 3-4% installation waste		
	For reference: 2 metre wide broadloom typically generates 7-10 % installation waste		
	* In a rectangular building, installed before walls.		
End-of-life			
Alternatives to landfill	Reuse: Can be cleaned and reused in a non-critical location to extend its useful life		
	Recycling: Can be returned through the Interface ReEntry scheme and be re-used as raw material in new carpet tiles		
	Waste-to-Energy: Can be incinerated in appropriate waste to energy plant		
Indoor Air Quality			
GUT (Gemeinschaft umweltfreundlicher Teppichboden)	The product passes all requirements of GUT's testing criteria regarding hazardous substances, emissions and odour. GUT PRODIS Certificate no. 54AA6565		
CRI (Carpet & Rug Institute)	Compliant to LEED IQ 4.3 credit (tested in Eurofins to the equivalent test of the CRI Green Label Plus)		
Compliance to Green Building Schemes			
	See next page to check how our products contribute to the main green building certification schemes (BREEAM, LEED, HQE and DGNB)		
Type III Environmental Product Declaration			
EPD according to ISO 14025	This product has a type III generic Environmental Product Declaration, <a href="#">EPD-IFF-20120019-CBD1-EN</a>		

## Recycled content – colour level

Colourway	Total recycled content	Pre consumer recycled content	Post consumer recycled content	Yarn recycled content	Yarn Pre consumer recycled content	Yarn Post consumer recycled content
346690 Millstone	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346691 Platinum	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346692 Titanium	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346693 Felt	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346694 Storm	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346695 Seal	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346696 Carbon	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346697 Black	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346698 Silver	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346699 Surf	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346700 Jade	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346701 Jungle	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346702 Mercury	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346703 Flemish Blue	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346704 Pacific	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346705 Peacock	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346706 Lupin	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346707 Flag Blue	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346708 Lobelia	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346709 Night Shadow	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346710 Blue	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346711 Iris	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346712 Danube	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346713 Elderberry	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346714 Very Berry	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346715 Lilac Haze	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346716 Redwood	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346717 Damson	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346718 Orange	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346719 Gerbera	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346720 Terra Firma	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346721 Wine Berry	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346722 Malt	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346723 Putty	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346724 Rhino	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346725 Coffee Bean	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346726 Cream	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346727 Caraway	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346728 Briar	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346729 Havana	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346730 Barley	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346731 Castor	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346732 Papyrus	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346733 Bullrush	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346734 Spun Gold	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346735 Dandelion	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346736 Meadow	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%
346737 Yew	56,54%	48,14%	8,40%	100,00%	50,00%	50,00%

## Green Building Schemes

BREEAM (UK and international) BRE Green Guide Ratings:  
 Office - Not Available  
 Education - Not Available  
 Health Care - Not Available  
 Retail (by fashion) - Not Available  
 Potential contribution to following categories and credits:  
 Hea 02 - Indoor air quality – minimising sources of air pollution  
 Hea 05 - Acoustic Performance  
 Mat 01 - Life Cycle Impacts  
 Mat 05 - Designing for robustness  
 Wst 01 - Construction Waste Management

LEED 2009 US Potential direct or indirect contribution to following categories and credits:  
 Indoor Environmental Quality  
 Credit 4.1 Low Emitting Materials: Adhesive & Sealants  
 Credit 4.3 Low Emitting Materials: Carpet Systems  
 Materials and Resources  
 Credit 2.1 Construction Waste Management  
 Credit 4.1 Recycled content  
 Credit 5.1 Regional Materials  
 Innovation and Design  
 Credits 1-4 1 Pilot Credit 43, Certified Products

HQE (FR) Potential direct or indirect contribution to several points within following targets:  
 2. Integrated choice of products and construction materials  
 3. Low site nuisance  
 9. Acoustic comfort  
 10. Visual comfort  
 11. No unpleasant smells  
 12. Sanitary quality of areas  
 13. Sanitary air quality

DGNB (D) Potential direct or indirect contribution to following criterion  
 ENVIRONMENTAL QUALITY  
 ENV1.2 Local Environmental Impact  
 ECONOMIC QUALITY  
 ECO1.1 Building-Related Lifecycle Costs  
 ECO2.1 Efficient Use of Space  
 SOCIOCULTURAL AND FUNCTIONAL QUALITY  
 SOC1.2 Indoor Air Quality  
 SOC1.3 Acoustic Comfort  
 TECHNICAL QUALITY  
 TEC1.5 Ease of Cleaning and Maintenance  
 TEC1.6 Ease of Dismantling and Recycling