

Interface® *Hospitality*

Welcome to beautiful, modular flooring design.

Welcome to Interface Hospitality

You welcome people every day, from all over the world. People who want the perfect experience. It’s what makes hospitality both demanding and rewarding.

At Interface Hospitality we understand how a great product can make an experience more enjoyable. We also know a great product can make all the difference in running a successful business.

Using our extensive collection of modular flooring, you can create your unique environments, mixing texture, colour and pattern to create spaces your guests will love to be in.

Whatever your requirements, from first ideas to installation, Interface Hospitality is dedicated to realising your vision. Making it easier for you to provide your guests with an amazing experience.



Interface® *Hospitality*

Welcome to beautiful, modular flooring design.

Carpet Tile Products

Portmanteau	5
Luxury Collection	11
Mod Café	15
Sampa	17
City of Angels	19
A Cut Above	21
Head Over Heels	23
Hip Over History	31
RMS607	33
Collins Cottage	35
Overedge	37
Haptic	39
Decibel	41
Darning	43
Hydropolis	45

Luxury Vinyl Tile Products

Iridescence	65
Level Set® Collection	69
Natural Stones	71
Textured Stones	73
Natural Woodgrains	75
Textured Woodgrains	77
Look Both Ways™ Collection	83
Walk About	85
Walk of Life	86
Walk on By	87
Walk the Aisle	89

Why Modular Flooring?	91
Carpet Specifications	95
LVT Specifications	95

Portmateau PM19 7968005 Ebony & Ivory

Portmanteau

PM19
7968005 Ebony & Ivory
50cm x 1m

PM19
7968002 Cobalt
50cm x 1m

PM19
7968004 Honey
50cm x 1m

PM19
7968003 Berry
50cm x 1m

PM19
7968001 Rosewood
50cm x 1m

Portmanteau

Incrementally diffusing the texture, so transitions can move slowly across the floor or abruptly for dramatic effect. There is a shared texture like a loosely woven textile that beautifully offsets the graphic quality of the other patterns.

Portmateau PM39 8063005 Denim



PM39
8063001 Ebony & Ivory
50cm x 1m

PM39
8063005 Denim
Blue *50cm x 1m*

PM39
8063003 Pistachio
50cm x 1m



PM39
8063002 Butterscotch
50cm x 1m



PM39
8063004 Sage
50cm x 1m

Portmanteau

Portmanteau

PM49
8064001 Ecru
50cm x 1m

PM49
8064002 Garden Stone
50cm x 1m

Portmateau PM49 8064002 Garden Stone

LC02
2369003 Fawn
1m x 1m

LC02
2369002 Walnut
1m x 1m

LC02
2369001 Ink
1m x 1m

LC02
2369004 Cloud
1m x 1m

Luxury Collection

Two patterns with a lot of texture, play out over a 1 meter tile. Creating a large scale pattern that is luxurious.

Luxury Collection

Luxury Collection LC02 2369003 Fawn

LC05
2377003 Hazel
1m x 1m

LC05
2377005 Aqua
1m x 1m



LC05
2377001 Silver
1m x 1m

LC05
2377002 Mint
1m x 1m

LC05
2377004 Peacock
1m x 1m

Luxury Collection LC05 2377005 Aqua

Luxury Collection

Mod Café

Mod Café 8150004 Star Black

Mod Café

The starburst pattern of this rug evokes dreamy images of outer space and shining stars. This mid-century style looks right at home in any space.



8150004 Star Black

50cm x 50cm

8150003 Star Charcoal

50cm x 50cm



8150002 Star Flannel

50cm x 50cm

8150001 Star Linen

50cm x 50cm

Sampa 8192001 Anzac

Sampa

A park is truly the most explicit example of our desire to engage with nature, designing natural settings out of natural elements to recreate the perspective and experience of native landscapes. Sampa brings the park inside with elegant, organic lines, referencing branches, fissures in stone and the veins in a leaf.



8192001 Anzac

50cm x 50cm

8192005 Coal

50cm x 50cm



8192004 Umber

50cm x 50cm

8192003 Brick

50cm x 50cm

8192002 Tropic

50cm x 50cm

City of Angels 8130003 Midnight

City of Angels

8130002 Dusk

50cm x 50cm

8130003 Midnight

50cm x 50cm

8130001 Dawn

50cm x 50cm

City of Angels

Inspired by the artwork from Agnes Martin, City of Angels is a repetition of short lines loosely formed into a pattern – sometimes stippled, sometimes shifting – to create an abstraction of the grid and a hand-drawn effect.

A Cut Above M0833 7274014 Pacific

A Cut Above



7274014 Pacific

1m x 1m



7274012 Leather

1m x 1m



7274010 Amber

1m x 1m



7274011 Carnation

1m x 1m

7274013 Sienna

1m x 1m

A Cut Above M0833

A rich bold patterened surface and lots of colour. The tip sheared face provides luxurious texture.

M0684
6640030 Antique
1m x 1m

M0684
6640027 Sepia
1m x 1m

M0684
6640026 Beach
1m x 1m

M0684
6640028 Terracotta
1m x 1m



M0684
6640029 Carnival
1m x 1m

Head Over Heels

Head Over Heels, a stunningly beautiful collection of bold textured patterns made to inspire.

Head Over Heels

Head Over Heels M0684 6640027 Sepia

Head Over Heels M0749 6640038 Fawn

Head Over Heels

M0749
6640037 Sky
1m x 1m



M0749
6640038 Fawn
1m x 1m

M0749
6640035 Spring
1m x 1m

M0749
6640039 Powder
1m x 1m

M0749
6640036 Scarlet
1m x 1m

Head Over Heels

M1032
6640024 Linen
1m x 1m

M1032
6640025 Stone
1m x 1m



M1032
6640022 Pebble
1m x 1m

M1032
6640023 Sage
1m x 1m

Head Over Heels M1032 6640023 Sage

Head Pver Heels M0827 6640034 Cornflower

Head Over Heels



M0827
6640032 Azure
1m x 1m

M0827
6640034 Cornflower
1m x 1m

M0827
6640033 Saffron
1m x 1m

M0827
6640031 Fuchsia
1m x 1m

Hip Over History



Hip Over History 7191005 Orient

7191002 Pine

1m x 1m

7191001 Vintage

1m x 1m

7191003 Bouquet

1m x 1m

7191004 Eden

1m x 1m

7191005 Orient

1m x 1m

Hip Over History M0939

Hip Over History привносит комфортную патину старинного текстиля. Лоскутные узоры отличаются тактильной и визуальной текстурой, которая создает иллюзию хорошо изношенного пола.

7179003 Ivory

50cm x 50cm

7179001 Pewter

50cm x 50cm

7179002 Titanium

50cm x 50cm

RMS 607

RMS 607

Our Guest Room patterns are sophisticated styles, in a neutral palette.

RMS 607 7179003 Ivory

Collins Cottage 8152003 Charcoal
Level Set Textured Woodgrains Light Oak

Collins Cottage



8152009 Hound B & W

50cm x 50cm



8152004 Hound Black

50cm x 50cm



8152003 Charcoal

50cm x 50cm

Collins Cottage

This classic houndstooth pattern rug will perfectly complement any space and decor. It's like giving your father's favorite old blazer a vibrant new life.

Overedge 9271001 B&W Overedge

Overedge

9271001 B&W Overedge

25cm x 100cm

Decibel, Darning, Haptic and Overedge

Are simple high touch textures that recall woven fabrics and rugs.

Haptic

9274022 Almond

25cm x 100cm

9274021 Whisper

25cm x 100cm

9274023 Sage

25cm x 100cm

Haptic 9274022 Almond

Decibel 9275001 B&W Decibel

Decibel

9275001 B&W Decibel

25cm x 100cm

Darning 9273018 Silver

Darning

9273019 Almond

25cm x 100cm

9273018 Silver

25cm x 100cm

9273020 Sage

25cm x 100cm

4236012 Cobalt

50cm x 50cm



4236011 Emerald

50cm x 50cm

4236009 Tangerine

50cm x 50cm

4236008 Magenta

50cm x 50cm



4236010 Ocean

50cm x 50cm

Hydropolis

Liquid swirls overlaid with lines of static interference. Matched by a boldness of colour: a vivid palette creates a futuristic rainbow.

Hydropolis

Hydropolis 4236012 Cobalt

LVT Studio Set **Colour** Pewter **Installed** Ashlar

Interface®*Hospitality*

Beautiful Luxury Vinyl Tile flooring that performs.

We've designed our LVT and Carpet Tiles to work together seamlessly – with no transition strips. This effortless meeting of hard surfaces, soft textures, endless pattern and colour combinations allows you to create stunning flooring designs.

Together with Interface's truly unique offering of products and services, you'll have everything you need to meet your next design challenge and create spaces people love to be in.

Our LVT designs come with our superior Sound Choice™ backing. So even hard floors can minimise noise, making it easier for you to create spaces for concentration and focus. And as with all interface flooring, all our products are carbon neutral with Carbon Neutral Floors™.

Iridescence

Product Iridescence **Colour** A01901 Polar **Installed** Non Directional

A01901 POLAR



A01905 HERB

A01909 REEF

A01902 SHADOW

A01906 WAVE

A01910 GOLDEN

A01903 CLAY

A01907 FROST

A01911 EARTH

A01904 NIGHT

A01908 INK



A01912 BLOSSOM

Iridescence

Iridescence is inspired by the use of mineral and organic pigments that layer to create diverse hues and abstract painted surfaces. Colours merge with one another in a soft smoky transition that brings a comforting tranquillity to the interior space. The palette encompasses a multitude of colours that excite and inspire.

Level Set® Collection

Level Set® Collection

Level Set features 4 types of patterns in a total of 36 colourways: Natural and Textured Woodgrains in the 25 x 100 cm Skinny Planks format, and Stones and Pattern in the 50 x 50 cm square format. The look and feel of the wood patterns ranges from glossy to distressed, while the stone patterns fill the spectrum from subdued to outspoken. Hard and soft tiles come together to create beautiful design options, creating a new world of integrated flooring choices that make contemporary interiors come to life.

LVT Level Set Natural Woodgrains **Colour** Beech **Installed** Ashlar

LVT Level Set Textured Stones **Colour** Distressed Concrete **Installed** Non Directional

Level Set® Collection Natural Stones

A00102 MARONE DARK MARBLE

A00104 WARM IMPALA MARBLE



A00103 COOL IMPALA MARBLE

A00107 TRAVERTINE

LVT Level Set Natural Stones **Colour** Cool Impala Marble **Installed** Non Directional

LVT Level Set Textured Stones **Colour** Dark Concrete
Installed Non Directional

A00302 COOL POLISHED CEMENT

A00304 EMPERADOR GRAY

A00308 LIGHT CONCRETE

A00309 MEDIUM CONCRETE

A00310 DARK CONCRETE

A00311 DISTRESSED CONCRETE

Level Set® Collection Textured Stones


A00204 BEECH

A00210 TEAK

A00205 STORM

A00211 WASHED MAPLE

A00206 WINTER GREY

A00212 CEDAR

A00207 WASHED WHEAT

A00214 BAMBOO

A00208 SAND DUNE

LVT Level Set Natural Woodgrains **Colour** Beech **Installed** Ashlar

Level Set® Collection Natural Woodgrains


LVT Level Set Textured Woodgrains **Colour** Antique Oak
Installed Herringbone

Level Set® Collection Textured Woodgrains

A00404 DISTRESSED BLACK WALNUT

A00405 GREY DUNE

A00406 ANTIQUE LIGHT OAK

A00407 WHITE WASH

A00415 ANTIQUE OAK

A00417 SILVER DUNE

A00419 ANTIQUE ASH OAK

A00420 RUSTIC CASHEW

A00421 RUSTIC OAK

A00422 RUSTIC HICKORY

A00426 SUGARPINE

A00427 HEMLOCK

LVT Walk About **Colour** Pumice **Installed** Brick

Look Both Ways™ Collection

Look Both Ways™ Collection

Look Both Ways is a collection of LVT and carpet tile patterns combining Zen-like purity with playfulness. Marrying purpose and function with your intention, these styles create landscapes that perform and delight in infinite ways.

Walk of Life, the bedrock of the LVT collection, is gritty, not polished. Sharing the same urban grey palette, Walk the Aisle sparkles with a luminescent fleck that energizes the surface. Walk About appears carved in ways that conjure pattern-love from the 1920s, 1980s, and today. And finally Walk on By is a vision of pure joy in brights & neutrals. Step, walk or run, but definitely look both ways for design inspiration.

LVT Walk the Aisle **Colour** Cool Ash **Installed** Monolithic

LVT Walk About **Colour** Carbon **LVT** Walk of Life **Colour** Cool Ash **Installed** Design by Tile

Walk About

A01401 WARM ASH

A01402 PUMICE

A01403 COOL ASH



A01404 CARBON

LVT Walk of Life **Colour** Cool Ash
LVT Walk About **Colour** Cool Ash
Installed Design by Tile

Walk of Life

A01202 PUMICE

A01204 CARBON

A01201 WARM ASH

A01203 COOL ASH



A01205 CHARCOAL

A01301 WARM ASH

A01302 PUMICE


A01303 COOL ASH


A01304 CARBON

Walk the Aisle

LVT Walk the Aisle **Colour** Carbon **Installed** Monolithic

A015-01 POLYCHROME

A015-02 MONOCHROME

Walk on By



LVT Walk on By **Colour** Polychrome **Installed** Monolithic

Rubber Flooring

Everyone aspires to individuality.

Why should this claim stop at the floor covering?

Our two product lines norament® and noraplan® form a perfectly practical synthesis of design, functionality, and environmental compatibility. We are therefore convinced that we can offer our customers the perfect solution for every need and creative idea.

5351



5352

5353



5354

5355



5356

5357



5358

norament 926 castello
Art. 3167 8
□ ~1004 mm x 1004 mm

~3.5 mm

nora profile connection dimension: E + U

noraplan® **926 castello**

A warm, acoustic-improving alternative to natural stone was the inspiration behind this resilient rubber flooring. Eight timeless subtle, marbled colours with a slightly structured two-tone surface offer you a range that is sure to complement any building from modern to historical, adding a highly representative look.

noraplan® 926 castello

noraplan® 926 castello

norament® **926 kivo**

In modern design and architecture, inspiring ideas often derive from authentic, original elements. Highly creative workspaces of today often prefer referencing the industrial past.norament 926 kivo is the flooring that perfectly resonates with this modern classic atmosphere.

norament 926 kivo
Art. 3166

□ ~1004 mm x ~1004 mm

~2.7 mm

nora profile connection dimension: C + U

5361

5362

5363

5364

5365

5366

5367

5368

0214

0319

0733

0890

0007

0882

2074

6172

0884

0749

0716

0702



Stairtread norament® 926

12

Art. 926/465 – width 1 285 mm
Art. 926/466 – width 1 614 mm
Art. 926/467 – width 2 004 mm

Stairtread norament® **926**

Pre-shaped stair coverings consisting of stair nosing, riser and tread all in one piece for straight steps with a right-angled edge. For extremely heavy-traffic stairwell areas.

norament stairtreads


norament® 926

Staircase norament® 926 grano

Granular design rich in contrast with a hammerblow surface. Improves footfall sound absorption by 12 dB.



Staircase norament® 926 grano

12

Art. 926 grano/479 – width 1285 mm
Art. 926 grano/468 – width 1614 mm
Art. 926 grano/469 – width 2004 mm

5301



5302

5303

5304

5313

5314

5315

5308

5329

5325



5317



5318

norament® 926 grano

Staircase norament® 926 satura

Tone-in-tone granular design with a hammerblow surface. Improves footfall sound absorption by 12 dB.



Staircase norament® 926 satura

12

Art. 926 satura/479 – width 1285 mm
Art. 926 satura/468 – width 1614 mm
Art. 926 satura/469 – width 2004 mm

5102

5103

5107

5108

5110



5114

5115

5116

5118

5121

5127

5129

norament® 926 satura

norament® 926 arago

Stairtread norament® **926 arago**

Flat, direction-oriented relief structure with fine grain design and modern marbling. Improves footfall sound absorption by 12 dB.



Stairtread norament® 926 arago

6

Art. 926 arago/3170 – width 1285 mm
Art. 926 arago/3171 – width 1614 mm
Art. 926 arago/3172 – width 2004 mm

5171



5172



5175

5177

5178

5179



LVT Walk the Aisle **Colour** Cool Ash
Carpet Step in Time **Colour** Ash

Why Our Modular Carpet Tiles?

With modular flooring, you can mark out distinct areas to highlight architectural tures or reveal subtle surface details. Flooring becomes an adaptable part of your interior finishes. And it's entirely practical:

Better Acoustics

Hush disturbing footsteps and loud conversations. With our flooring, you get softer-feeling and greater noise reduction. You and your guests can be assured that noise reduction aspects are integrated across our product lines.

Easy to Maintain

Our carpet tiles are made with solution-dyed nylon to keep their colour over time, even when harsh cleaning products are used.

Less Waste

Installing a broadloom carpet creates up to 15% waste. We reduce that to 3 or 4%, and even less if using our non-directional products.

Choose flooring that respects the planet

All our products are carbon neutral. And because we know your flooring's impact, we can help with your carbon emission goals. We'll make sure the carbon impact of your flooring is offset – at no extra cost to you. And you'll receive a certificate to show guests you've chosen Carbon Neutral Floors™.

Interface Modular Resilient LVT and Modular Carpet allow you to seamlessly move from hard to soft surfaces. No transition strip needed.

LVT Walk the Aisle **Colour** Cool Ash
Carpet Step in Time **Colour** Ash

Why Our Modular Resilient LVT?

Integrated System.

Say goodbye to transition strips and doubling up. Our modular resilient floorings are made to work as a system with our modular carpet tile. The compatible size and height of our products allows you to integrate modular carpet for an inset rug or an adjacent field – no transition strip required. You'll avoid doubling up on materials and save cost.

Real Flexibility.

Create a unique look that lasts. Interface modular resilient LVT makes it easy to extend the life of your floor. From simple maintenance like damp mopping to selectively replacing damaged tiles, your flooring investment will stand the test of time - beautifully and effortlessly.

Circular System.

Keep flooring out of the landfill. Our modular resilient LVT is produced with a controlled material stream so it can be reclaimed and recycled into our GlasBac™RE recycled content backing through our ReEntry® program.
And all our LVT products contain 39% recycled content, and are carbon neutral across their full product life cycle.

Noise Reduction.

Less distractions. Interface is helping create **+Positive spaces™** with our LVT with Sound Choice™ backing. offering you best-in-class performance for reduced impact sound and floor to floor sound transmission.



High Performance from Top to Bottom.

From our Ceramor™ Top Coat to our Sound Choice™ backing, we've designed our modular resilient LVT to provide peak performance in even the most challenging work environment while also providing superior sound absorption.

Abrasion Resistance. Our Ceramor ceramic bead coating provides a durable finish that resists scratching and scuffing so your floors look better longer. Embossing adds texture to further enhance durability.

A Strong Core. Incorporating a fiberglass layer between two core sheets provides optimal dimensional stability and flexibility, allowing for a fully modular installation and the ability to move and update with ease.

Quiet Comfort. With an IIC rating of 57 our Sound Choice backing provides superior protection against vertical sound transfer. Minimizing noise enhances workplace productivity and creates more usable, comfortable spaces.

Carpet Technical Specifications

	Portmanteau			Luxury Collection		Mod Café	Sampa
	PM19 [page 5]	**PM39 [page 7]**	**PM49 [page 9]**	**LC02 [page 11]**	**LC05 [page 13]**	**[page 15]**	**[page 17]**
Product Definition	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tufted Textured Tip Sheared Loop
Pile Material	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6
Pile Yarn Weight	980 g/m² ± 5%	980 g/m² ± 5%	980 g/m² ± 5%	1380 g/m² ± 5%	1186 g/m² ± 5%	980 g/m² ± 5%	946 g/m² ± 5%
Effective Pile Weight	653g/m² ± 5%	556g/m² ± 5%	556g/m² ± 5%	909g/m² ± 5%	872g/m² ± 5%	556g/m² ± 5%	662g/m² ± 5%
Total Weight	5043 g/m² ± 5%	4982 g/m² ± 5%	4982 g/m² ± 5%	5345 g/m² ± 5%	4972 g/m² ± 5%	4982 g/m² ± 5%	4889 g/m² ± 5%
Pile Height	5.7 mm +15% / - 10%	5.1 mm +15% / - 10%	5.1 mm +15% / - 10%	6.4 mm +15% / - 10%	5.7 mm +15% / - 10%	5.1 mm +15% / - 10%	5.2 mm +15% / - 10%
Total Thickness	10.6 mm ± 0.5 mm	10.5 mm ± 0.5 mm	10.5 mm ± 0.5 mm	11.1 mm ± 0.5 mm	10.5 mm ± 0.5 mm	10.5 mm ± 0.5 mm	10.2 mm ± 0.5 mm
Gauge / ends per 10 cm	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4
Tuft per m²	120,170 ± 5%	120,170 ± 5%	120,170 ± 5%	130,020 ± 5%	130,020 ± 5%	120,170 ± 5%	141,840 ± 5%
Backing Type	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio
Wear Classification EN 1307	Heavy Contract Class 33 / LC3	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC4	Heavy Contract Class 33 / LC4	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC3
Rating of Sound Absorption EN ISO 11654	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15
Style	7968	8063	8063	2396	2377	8063	8192
Tile Size	50 x 100cm	50 x 100cm	50 x 100cm	100 x 100cm	50 x 50cm	50 x 100cm	50 x 50cm
Tiles per box	16	16	16	4	12	16	12
Carbon Footprint							
Recycled Content							



Carpet Technical Specifications

	City of Angels	A Cut Above	Head Over Heels				Hip Over History
	[page 19]	**M0833 [page 21]**	**M0684 [page 23]**	**M0749 [page 25]**	**M0827 [page 27]**	**M1032 [page 29]**	**M0939 [page 31]**
Product Definition	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile
Pile Material	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6
Pile Yarn Weight	1120 g/m² ± 5%	848 g/m² ± 5%	796 g/m² ± 5%	796 g/m² ± 5%	796 g/m² ± 5%	796 g/m² ± 5%	790 g/m² ± 5%
Effective Pile Weight	663g/m² ± 5%	645g/m² ± 5%	796g/m² ± 5%	519g/m² ± 5%	506g/m² ± 5%	466g/m² ± 5%	462g/m² ± 5%
Total Weight	4767 g/m² ± 5%	4775 g/m² ± 5%	4586 g/m² ± 5%	4566 g/m² ± 5%	4677 g/m² ± 5%	4598 g/m² ± 5%	4806 g/m² ± 5%
Pile Height	4.5 mm +15% / - 10%	4.2 mm +15% / - 10%	3.8 mm +15% / - 10%	3.5 mm +15% / - 10%	3.6 mm +15% / - 10%	3.9 mm +15% / - 10%	3.5 mm +15% / - 10%
Total Thickness	9.4 mm ± 0.5 mm	9.0 mm ± 0.5 mm	8.7 mm ± 0.5 mm	8.1 mm ± 0.5 mm	8.1 mm ± 0.5 mm	8.6 mm ± 0.5 mm	8.7 mm ± 0.5 mm
Gauge / ends per 10 cm	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4
Tuft per m²	165,480 ± 5%	110,320 ± 5%	110,320 ± 5%	110,320 ± 5%	110,320 ± 5%	110,320 ± 5%	118,200 ± 5%
Backing Type	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio
Wear Classification EN 1307	Heavy Contract Class 33 / LC3	Heavy Contract Class 33 / LC3	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2
Rating of Sound Absorption EN ISO 11654	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15
Style	8130	7274	6640	6640	6640	6640	7191
Tile Size	50 x 50cm	100 x 100cm	100 x 100cm	100 x 100cm	100 x 100cm	50 x 50cm	100 x 100cm
Tiles per box	16	4	4	4	4	16	4
Carbon Footprint							
Recycled Content							





Carpet Technical Specifications

	RMS 607	Collins Cottage	Overedge	Haptic	Decibel	Darning	Hydropolis
	[page 33]	[page 35]	[page 37]	[page 39]	[page 41]	[page 43]	[page 45]
Product Definition	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile	Tapestry Tufted Patterned Structured Loop Tile
Pile Material	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6	Aquafil 100% Recycled Nylon PA6
Pile Yarn Weight	788 g/m² ± 5%	980 g/m² ± 5%	980 g/m² ± 5%	980 g/m² ± 5%	980 g/m² ± 5%	980 g/m² ± 5%	980 g/m² ± 5%
Effective Pile Weight	484g/m² ± 5%	556g/m² ± 5%	556g/m² ± 5%	556g/m² ± 5%	556g/m² ± 5%	556g/m² ± 5%	556g/m² ± 5%
Total Weight	4491 g/m² ± 5%	4982 g/m² ± 5%	4982 g/m² ± 5%	4982 g/m² ± 5%	4982 g/m² ± 5%	4982 g/m² ± 5%	4982 g/m² ± 5%
Pile Height	4.1 mm +15% / - 10%	5.1 mm +15% / - 10%	5.1 mm +15% / - 10%	5.1 mm +15% / - 10%	5.1 mm +15% / - 10%	5.1 mm +15% / - 10%	5.1 mm +15% / - 10%
Total Thickness	9.2 mm ± 0.5 mm	10.5 mm ± 0.5 mm	10.5 mm ± 0.5 mm	10.5 mm ± 0.5 mm	10.5 mm ± 0.5 mm	10.5 mm ± 0.5 mm	10.5 mm ± 0.5 mm
Gauge / ends per 10 cm	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4	1/10 – 39.4
Tuft per m²	110,320 ± 5%	120,170 ± 5%	120,170 ± 5%	120,170 ± 5%	120,170 ± 5%	120,170 ± 5%	120,170 ± 5%
Backing Type	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio	CQuest™Bio
Wear Classification EN 1307	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2	Heavy Contract Class 33 / LC2
Rating of Sound Absorption EN ISO 11654	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15	α_w 0.15
Style	7179	8063	8063	8063	8063	8063	8063
Tile Size	50 x 50cm	50 x 100cm	50 x 100cm	50 x 100cm	50 x 100cm	50 x 100cm	50 x 100cm
Tiles per box	16	16	16	16	16	16	16
Carbon Footprint							
Recycled Content							















LVT Product Specifications

Product Definition	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content
Finish	Ceramor™ - UV Stabilized Ceramic Bead Coating
Wear Layer Thickness	0.55 mm (EN ISO 24340)
Total Weight	6880 g/m² (EN ISO 23997)
Total Thickness	4.5 mm (EN ISO 24346)
Backing Type	Sound Choice™ Acoustic Backing
Wear Classification	EN ISO 10874 33 Heavy Commercial / 42 General Light Industrial
Radiant Panel	Euroclass Bfl s1 (EN 13501)
Dimensional Stability	≤ 0.25 % (ISO 23999)
Curling	≤ 2 mm (ISO 23999)
Flexibility	Method A - Pass (EN ISO 24344)
Abrasion Resistance	Group T (EN 660-2)
Residual Indentation	≤ **0.**2 mm (EN ISO 24343-1)
Chemical Resistance	(EN ISO 26987) Very Good
Impact Sound Insulation (ΔLw)	16 dB (EN ISO 10140-3)
Determination of Anti-Slip	R10 (unless mentioned in the table aside)
Pendulum Dry 4S	36+ Low slip potential (BS 7976-2)

CE

17

Interface European Manufacturing B.V.
Industrielaan 15
3925 BD
Scherpenzeel
The Netherlands

DOP PBRG – AHCK3R

EN 14041:2004
Notified Body - 0493

Resilient floor covering for internal use.

Classification	Class 33/42 (EN ISO 10874)
Reaction to fire	Class Bfl-s1 (see EN 14041, clause 4.1)
Slip resistance	Class DS (See EN 14041, clause 4.5)
Formaldehyde	E1 (see EN 14041, clause 4.3)
Anti-static	<2.0kV (See EN14041, clause 4.6.1)

www.interface.com/lvt-emea

UKCA

21

Interface European Manufacturing B.V.
Industrielaan 15
3925 BD
Scherpenzeel
The Netherlands

DOP PBRG – AHCK3R

EN 14041:2004
Approved Body - 0321

Resilient floor covering for internal use.

Classification	Class 33/42 (EN ISO 10874)
Reaction to fire	Class Bfl-s1 (see EN 14041, clause 4.1)
Slip resistance	Class DS (See EN 14041, clause 4.5)
Formaldehyde	E1 (see EN 14041, clause 4.3)
Anti-static	<2.0kV (See EN14041, clause 4.6.1)

www.interface.com/lvt-emea



Compliant with:
- AgBB
- LEED EQ 4.3 credit

50 x50cm - 2.5m² Box (EN ISO 24342)

- Iridescence
- Level Set Collection - Natural Stones
- Level Set Collection - Textured Stones
- Walk About
- Walk of Life
- Walk on By
- Walk the Aisle

25 x 100 cm - 2.5m² Box (EN ISO 24342)

- Brushed Lines
- Drawn Lines
- Level Set Collection - Natural Woodgrains
- Level Set Collection - Textured Woodgrains
- Studio Set

Product	Colour No	Colour Name	Slip Resistance Ramp Test - R value
Level Set Collection - Natural Stones	A00103	Cool Impala Marble	R9
Level Set Collection - Textured Stones	A00301	Polished Cement	R9
	A00302	Cool Polished Cement	R9
	A00303	Warm Polished Cement	R9
	A00304	Emperador Gray	R9
Level Set Collection - Natural Woodgrains	A00201	Black Walnut	R9
	A00203	Chestnut	R9
	A00204	Beech	R9
	A00205	Storm	R9
	A00206	Winter Grey	R9
	A00207	Washed Wheat	R9
	A00208	Sand Dune	R9
Level Set Collection - Textured Woodgrains	A00403	Distressed Hickory	R9
	A00407	White Wash	R9
	A00414	Antique Maple	R9

LVT Technical Specifications

Carbon Neutral Floors™

Visit interface.com/hospitality

Europe, Middle East & Africa

AE	+971 556881979
AT	+43 1 8102839
BA	+387 33 522 534
BE	+32 2 475 27 27
BG	+359 2 808 303
BY	+375 17 226 75 14
CH	+41 44 913 68 00
CZ	+42 0 233 087 111
DE	+49 2151 3718 0
DK	+45 33 79 70 55
EE	+372 6518 313
ES	+34 932 418 750
EG	+(202) 3760 7818
FR	+33 1 58 10 20 20
GR	+30 211 2120820
HR	+385 14 62 30 63
HU	+36 1 349 6545
IE	+353 1 679 8466
IL	+972 97403034
IT	+39 02 890 93678
KZ	+7 495 234 57 27
LT	+370 37 337332
LV	+371 672 18 744
NL	+31 33 277 5555
ME	+381 11 414 92 00
MK	+389 2 323 01 89
NO	+47 23 12 01 70
PL	+48 22 862 48 40
PT	+351 217 122 740
RO	+40 21 317 12 40/42/43/44
RS	+381 11 414 92 00
RU	+7 495 234 57 27
SA	+966 554622263
SE	+468 241 230
SK	+421 911 104 073
SI	+386 8 205 4007
TR	+90 212 365 5506
UA	+38(044)238 27 67
UK	+44 (0)800 3134465
ZA	+27 11 608 4270

CLIMATE TAKE BACK™